Shower Faucet Specifications SF-U-04 / SF-U-04G





TURBO thermostatic valve with diverter UNIPLEX 2/3 way



FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge

Shut-off valve outlets: connections right, left or both sides simultaneously


Removable NPT plug at the top for an extra independent shut-off valve (#1206) or diverter with stop (#61934) connection

flow rate: 12 gpm at 45 psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.



trim \$8295 \$9295 \$8395 \$9395

2-way shared functions

2-way 1 function at a time

3-way shared functions

3-way 1 function at a time

square

FEATURES

Solid brass construction
Screwless decorative trim
Thin contemporary style - 4 1/4" x 12" x 1/8"
Decorative cylinders (x2) for shut-off valve and thermo control Diverter cartridge included
Handles (x2)
Fits 1/2" thermo valve 12123

FINISHES

Standard


Polished chrome (pc) Brushed nickel (bn)


Custom

15 custom finishes available (ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

last revision: 18/08/2016

aquabrass.com

PLSCM77778

Square shower arm and ceilling drop set



FEATURES

Solid brass construction 1/2" NPT male connection

FINISHES


Standard Polished Chrome (pc) Brushed Nickel (bn)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

rainhead 810

10" square

FEATURES

Contemporary style Solid brass construction Silicone spray nozzles for easy cleaning 1/2" NPT female connection

Flow rate: 2.5 gpm



Standard

Polished chrome (pc) Brushed nickel (bn)

Custom

19 custom finishes available (ask your local Aquabrass authorized dealer for details)


WARRANTY


Residential: Residential: Limited lifetime warranty to original

purchaser

commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

Last revision: 11/06/2019

aquabrass.com

handshower set N3745

square handshower set with reinforced PVC hose



FEATURES

Single function handshower Solid brass waterway with hook 5' reinforced PVC hose 1/2" NPT female connection

Flow rate: 2.5 gpm


FINISHES


Standard Polished Chrome (pc) Brushed Nickel (bn) Electro Black (ebk) Brushed Gold (bgd)

Custom Finishes available

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 18/06/2021 aquabrass.com