


Specifications



AQUABRASS

DEMI-TOTEM 12002

1/2" thermostatic valve with 2 shut-off valves





FEATURES

High performance 1/2" thermostatic valve
2 independent circuits
Selectable left and/or right outlets
European made solid brass rough and thermo cartridge
Safety temperature limit stopper, preset at 38C / 100F
Reversible service check valves with filters / stop valves
1/2" NPT female connections (outlets and inlets)
Top outlet bypasses the on/off cartridges

Flow rate: 12gpm at 45psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabraxs.com/warranty)





FEATURES

Solid brass construction
screwless decorative trim
Thin contemporary style - 4 1/4" x 13 3/4" x 1/8"
Decorative cylinder (x3) for shut-off valves and thermo control included
Handles included
Fits 1/2" thermo valve 12002 - 3/4" thermo valve 3002

FINISHES

Standard



Polished chrome (pc)
Brushed nickel (bn)


Custom

15 custom finishes available
(ask your local Aquabrace authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrace.com/warranty)





waterproof wallmount remote control
for chromotherapy



FEATURES

Stainless steel construction
1 function: rain
Chromotherapy - 7 colors with adjustable light speed
1 shut-off valve required

Waterproof wallmount remote control for chromotherapy included




Flow rate: varies between functions

FINISHES

Standard
Polished stainless steel (pss)

WARRANTY

Residential / commercial: Two years warranty
(Complete warranty available at www.aquabraxx.com/warranty)



FEATURES

Square handshower with 4" rotative head
5 function handshower: rain, soff pulsating jets
Built-in backflow preventer
Adjustable sliding handshower holder
5' to 6' expandable braided hose

Flow rate: 2.5 gpm
Height: 31 1/2"

FINISHES

Standard





Polished chrome (pc)
Brushed nickel (bn)

Custom

15 Custom finishes available
(ask your local Aquabrax authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrax.com/warranty)





FEATURES

Thermo insulation body
5/8" trim adjustment to elbow installation
1/2" NPT female connection

FINISHES

Standard

Polished chrome (pc)
Brushed nickel (bn)






Custom

19 Custom finishes available
(ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser
commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)

1/2 NPT (FEMALE)



EXPLOSION PARTS

